

RA - Tropical Haze - Sativa - 100mg

METRC Sample: 1A406030001AD4D000006860; METRC Batch: 1A4060300002BC6000000181

Sample ID: 2110BSD0568.1460	Produced:	Distributor:	Producer:
Strain: Tropical Haze - Sativa - 100mg	Collected: 10/19/2021	Green Rocket	Inanna Manufacturing
Matrix: Ingestible	Received: 10/19/2021	Lic. # C11-0001235-LIC	Lic. # CDPH-10003127
Type: Soft Chew	Completed: 10/21/2021	5278 Long Beach Blvd.	9038 Artesia Blvd Bellflower CA, 90706
Sample Size: 5 units; Batch: 410 units	Batch#: RAFB28021TH	Long Beach, CA 90805	



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/19/2021	Complete
Water Activity	10/19/2021	0.62 aw - Pass
Terpenes	10/20/2021	Complete
Residual Solvents	10/19/2021	Pass
Microbials	10/21/2021	Pass
Mycotoxins	10/19/2021	Pass
Pesticides	10/19/2021	Pass
Heavy Metals	10/20/2021	Pass
Foreign Matter	10/19/2021	Pass

Cannabinoids by HPLC-UV

Complete

11.01 mg/serving Total THC	ND Total CBD	11.01 mg/serving Total Cannabinoids
--------------------------------------	------------------------	---

Analyte	LOQ	LOD	Result	Result	Result	Result
	mg/g	mg/g	mg/g	%	mg/serving	mg/container
THCa	1.000	0.35000	ND	ND	ND	ND
Δ9-THC	1.000	0.35000	4.08	0.408	11.01	110.14
Δ8-THC	1.000	0.35000	ND	ND	ND	ND
THCV	1.000	0.35000	ND	ND	ND	ND
CBDa	1.000	0.35000	ND	ND	ND	ND
CBD	1.000	0.35000	ND	ND	ND	ND
CBDV	1.000	0.35000	ND	ND	ND	ND
CBN	1.000	0.35000	ND	ND	ND	ND
CBGa	1.000	0.35000	ND	ND	ND	ND
CBG	1.000	0.35000	<LOQ	<LOQ	<LOQ	<LOQ
CBC	1.000	0.35000	ND	ND	ND	ND
Total THC			4.08	0.41	11.01	110.14
Total CBD			ND	ND	ND	ND
Total			4.08	0.408	11.01	110.14

Date Tested: 10/19/2021
10 serving(s) per container.

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Not Tested Moisture Content by Moisture Balance (SOP ID: 3810)	0.62 aw <small>Pass</small> Water Activity by Hydrometer (SOP ID: 3710)	Pass Foreign Materials by Magnifying Glass (SOP ID: 3020)
--	--	---



Hinaxi Patel

Hinaxi Patel
Technical Director

Firas Tamary

Firas Tamary
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO/IEC 17025:2017 Accredited
All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

RA - Tropical Haze - Sativa - 100mg

METRC Sample: 1A406030001AD4D000006860; METRC Batch: 1A4060300002BC6000000181

Sample ID: 2110BSD0568.1460	Produced:	Distributor	Producer
Strain: Tropical Haze - Sativa - 100mg	Collected: 10/19/2021	Green Rocket	Inanna Manufacturing
Matrix: Ingestible	Received: 10/19/2021	Lic. # C11-0001235-LIC	Lic. # CDPH-10003127
Type: Soft Chew	Completed: 10/21/2021	5278 Long Beach Blvd.	9038 Artesia Blvd Bellflower CA, 90706
Sample Size: 5 units; Batch: 410 units	Batch#: RAFB28021TH	Long Beach, CA 90805	

Pesticides by LCMS/MS & GCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.01	0.1	0.1	ND	Pass	Fludioxonil	0.01	0.1	0.1	ND	Pass
Acephate	0.01	0.1	0.1	ND	Pass	Hexythiazox	0.01	0.1	0.1	ND	Pass
Acequinocyl	0.01	0.1	0.1	ND	Pass	Imazalil	0.01	0.1	0.01	ND	Pass
Acetamiprid	0.01	0.1	0.1	ND	Pass	Imidacloprid	0.01	0.1	5	ND	Pass
Aldicarb	0.01	0.1	0.01	ND	Pass	Kresoxim Methyl	0.01	0.1	0.1	ND	Pass
Azoxystrobin	0.01	0.1	0.1	ND	Pass	Malathion	0.01	0.1	0.5	ND	Pass
Bifenazate	0.01	0.1	0.1	ND	Pass	Metalaxyl	0.01	0.1	2	ND	Pass
Bifenthrin	0.01	0.1	3	ND	Pass	Methiocarb	0.01	0.1	0.01	ND	Pass
Boscalid	0.01	0.1	0.1	ND	Pass	Methomyl	0.01	0.1	1	ND	Pass
Captan	0.01	0.1	0.7	ND	Pass	Mevinphos	0.01	0.1	0.01	ND	Pass
Carbaryl	0.01	0.1	0.5	ND	Pass	Myclobutanil	0.01	0.1	0.1	ND	Pass
Carbofuran	0.01	0.1	0.01	ND	Pass	Naled	0.01	0.1	0.1	ND	Pass
Chlorantraniliprole	0.01	0.1	10	ND	Pass	Oxamyl	0.01	0.1	0.5	ND	Pass
Chlordane	0.01	0.1	0.01	ND	Pass	Pacllobutrazol	0.01	0.1	0.01	ND	Pass
Chlorfenapyr	0.01	0.1	0.01	ND	Pass	Parathion Methyl	0.01	0.1	0.01	ND	Pass
Chlorpyrifos	0.01	0.1	0.01	ND	Pass	Pentachloronitrobenzene	0.01	0.1	0.1	ND	Pass
Clofentazine	0.01	0.1	0.1	ND	Pass	Permethrin	0.01	0.1	0.5	ND	Pass
Coumaphos	0.01	0.1	0.01	ND	Pass	Phosmet	0.01	0.1	0.1	ND	Pass
Cyfluthrin	0.01	0.1	2	ND	Pass	Piperonyl Butoxide	0.01	0.1	3	ND	Pass
Cypermethrin	0.01	0.1	1	ND	Pass	Prallethrin	0.01	0.1	0.1	ND	Pass
Daminozide	0.01	0.1	0.01	ND	Pass	Propiconazole	0.01	0.1	0.1	ND	Pass
Diazinon	0.01	0.1	0.1	ND	Pass	Propoxur	0.01	0.1	0.01	ND	Pass
Dichlorvos	0.01	0.1	0.01	ND	Pass	Pyrethrins	0.01	0.1	0.5	ND	Pass
Dimethoate	0.01	0.1	0.01	ND	Pass	Pyridaben	0.01	0.1	0.1	ND	Pass
Dimethomorph	0.01	0.1	2	ND	Pass	Spinetoram	0.01	0.1	0.1	ND	Pass
Ethoprophos	0.01	0.1	0.01	ND	Pass	Spinosad	0.01	0.1	0.1	ND	Pass
Etofenprox	0.01	0.1	0.01	ND	Pass	Spiromesifen	0.01	0.1	0.1	ND	Pass
Etozazole	0.01	0.1	0.1	ND	Pass	Spirotetramat	0.01	0.1	0.1	ND	Pass
Fenhexamid	0.01	0.1	0.1	ND	Pass	Spiroxamine	0.01	0.1	0.01	ND	Pass
Fenoxycarb	0.01	0.1	0.01	ND	Pass	Tebuconazole	0.01	0.1	0.1	ND	Pass
Fenpyroximate	0.01	0.1	0.1	ND	Pass	Thiacloprid	0.01	0.1	0.01	ND	Pass
Fipronil	0.01	0.1	0.01	ND	Pass	Thiamethoxam	0.01	0.1	5	ND	Pass
Fonicamid	0.01	0.1	0.1	ND	Pass	Trifloxystrobin	0.01	0.1	0.1	ND	Pass

Date Tested: 10/19/2021

SOP ID: 3210; Instrumentation: LC MS/MS

SOP ID: 3310; Instrumentation: GC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Hinaxi Patel
 Technical Director
 10/21/2021

 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

RA - Tropical Haze - Sativa - 100mg

METRC Sample: 1A406030001AD4D000006860; METRC Batch: 1A4060300002BC6000000181

Sample ID: 2110BSD0568.1460	Produced:	Distributor:	Producer:
Strain: Tropical Haze - Sativa - 100mg	Collected: 10/19/2021	Green Rocket	Inanna Manufacturing
Matrix: Ingestible	Received: 10/19/2021	Lic. # C11-0001235-LIC	Lic. # CDPH-10003127
Type: Soft Chew	Completed: 10/21/2021	5278 Long Beach Blvd.	9038 Artesia Blvd Bellflower CA, 90706
Sample Size: 5 units; Batch: 410 units	Batch#: RAFB28021TH	Long Beach, CA 90805	

Microbials by qPCR/Microbial Agar Culture

Pass

Analyte	Result	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 10/21/2021

SOP ID: 3010; Instrumentation: PathogenDx microarray qPCR

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Mycotoxins by LCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.5	1		ND	Tested
B2	0.5	1		ND	Tested
G1	0.5	1		ND	Tested
G2	0.5	1		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.5	1	20	ND	Pass

Date Tested: 10/19/2021

SOP ID: 3210; Instrumentation: LC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals by ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0038	0.02	0.2	<LOQ	Pass
Cadmium	0.0049	0.02	0.2	ND	Pass
Lead	0.0017	0.04	0.5	<LOQ	Pass
Mercury	0.0087	0.02	0.1	ND	Pass

Date Tested: 10/20/2021

SOP ID: 3410; Instrumentation: ICP-MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Hinaxi Patel
 Technical Director
 10/21/2021

 Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com


ISO/IEC 17025:2017 Accredited
 All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

RA - Tropical Haze - Sativa - 100mg

METRC Sample: 1A406030001AD4D000006860; METRC Batch: 1A4060300002BC6000000181

Sample ID: 2110BSD0568.1460	Produced:	Distributor	Producer
Strain: Tropical Haze - Sativa - 100mg	Collected: 10/19/2021	Green Rocket	Inanna Manufacturing
Matrix: Ingestible	Received: 10/19/2021	Lic. # C11-0001235-LIC	Lic. # CDPH-10003127
Type: Soft Chew	Completed: 10/21/2021	5278 Long Beach Blvd.	9038 Artesia Blvd Bellflower CA, 90706
Sample Size: 5 units; Batch: 410 units	Batch#: RAFB28021TH	Long Beach, CA 90805	

Residual Solvents by GCMS/MS & GC-FID

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.0096	0.029	1	ND	Pass
Acetone	0.6879	2.0845	5000	6.957	Pass
Acetonitrile	1.223	3.7061	410	ND	Pass
Benzene	0.0116	0.0352	1	ND	Pass
Butane	0.2369	0.718	5000	ND	Pass
Chloroform	0.0089	0.0269	1	ND	Pass
Ethanol	1.278	3.8728	5000	1127.945	Pass
Ethyl-Acetate	0.7236	2.1928	5000	ND	Pass
Ethyl-Ether	1.8144	5.4981	5000	ND	Pass
Ethylene Oxide	0.0165	0.0501	1	ND	Pass
Heptane	0.6242	1.8916	5000	ND	Pass
Isopropanol	1.6079	4.8723	5000	ND	Pass
Methanol	1.3447	4.075	3000	ND	Pass
Methylene-Chloride	0.0152	0.046	1	ND	Pass
n-Hexane	0.6206	1.8807	290	ND	Pass
Pentane	0.7555	2.2895	5000	ND	Pass
Propane	0.2218	0.6721	5000	ND	Pass
Toluene	0.9906	3.002	890	ND	Pass
Trichloroethene	0.0096	0.029	1	ND	Pass
Xylenes	1.7346	5.2563	2170	ND	Pass

Date Tested: 10/19/2021

SOP ID: 3510; Instrumentation: HS-GCMS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Hinaxi Patel
 Technical Director
 10/21/2021

 Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com


 ISO/IEC 17025:2017 Accredited
 All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

RA - Tropical Haze - Sativa - 100mg

METRC Sample: 1A406030001AD4D000006860; METRC Batch: 1A4060300002BC6000000181

Sample ID: 2110BSD0568.1460	Produced:	Distributor:	Producer:
Strain: Tropical Haze - Sativa - 100mg	Collected: 10/19/2021	Green Rocket	Inanna Manufacturing
Matrix: Ingestible	Received: 10/19/2021	Lic. # C11-0001235-LIC	Lic. # CDPH-10003127
Type: Soft Chew	Completed: 10/21/2021	5278 Long Beach Blvd.	9038 Artesia Blvd Bellflower CA, 90706
Sample Size: 5 units; Batch: 410 units	Batch#: RAFB28021TH	Long Beach, CA 90805	

Terpenes by GCMS/MS & GC-FID

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
β-Myrcene	0.000	0.000	0.067	0.67	
β-Caryophyllene	0.000	0.000	0.039	0.39	
β-Pinene	0.000	0.000	0.032	0.32	
δ-Limonene	0.000	0.000	0.025	0.25	
α-Pinene	0.000	0.000	0.021	0.21	
Terpinolene	0.000	0.000	0.013	0.13	
α-Humulene	0.000	0.000	0.012	0.12	
3-Carene	0.000	0.000	0.012	0.12	
γ-Terpinene	0.000	0.000	0.010	0.10	
Linalool	0.000	0.000	0.004	0.04	
Camphene	0.000	0.000	0.001	0.01	
Geraniol	0.000	0.000	0.000	0.00	
α-Terpinene	0.000	0.000	ND	ND	
Caryophyllene Oxide	0.000	0.000	ND	ND	
Eucalyptol	0.000	0.000	ND	ND	
Guaiol	0.000	0.000	ND	ND	
Isopulegol	0.000	0.000	ND	ND	
Nerolidol	0.000	0.000	ND	ND	
Ocimene	0.000	0.000	ND	ND	
(-)-α-Bisabolol	0.000	0.000	ND	ND	
p-Cymene	0.000	0.000	ND	ND	
Total			0.236	2.36	



BRIGHTSIDE

SCIENTIFIC

Primary Aromas



Date Tested: 10/20/2021

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Hinaxi Patel
 Technical Director
 10/21/2021

 Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com


ISO/IEC 17025:2017 Accredited
 All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.